ELSEVIER

Journal of Molecular Catalysis A: Chemical 111 (1996) 357–359

JOURNAL OF MOLECULAR CATALYSIS A: CHEMICAL

# Author Index

Ahn, B.S., see Kim, H.-S. (111) 49
Ali, S., see Bhat, Y.S. (111) 307
Alper, H., see Lee, B. (111) 17
Alper, H., see Lee, B. (111) L3
Alper, H., see Naigre, R. (111) 11
Arafat, A., see Kooyman, P.J. (111) 167
Bandara, J., Kiwi, J., Pulgarin, C. and Pajonk, G.
Catalytic oxidation and photo-oxidation of nitrophenols by strong oxidants generated in situ via CuO-aerogel (111) 333
Bartram, P.W., see Wagner, G.W. (111) 175
Battioni, P., see Iwanejko, R. (111) 7
Beaumont, A.J., see McCann, M. (111) 251
Beck, S., Prosenc, M.-H., Brintzinger, H.-H., Goretzki, R., Herfert, N. and Fink, G.
Binuclear zirconocene cations with $\mu$-$CH_3$-bridges in homogeneous Ziegler–Natta catalyst systems (111) 67
Bettetini, E., see Ragaini, F. (111) 91
Bettettini, E., see Cenini, S. (111) 37
Bhat, Y.S., Ali, S., Das, J., Bhatt, B.D. and Halgeri, A.B.
MFI metallosilicates catalyzed *ortho*- and *para*-toluidine conversion (111) 307
Bhatt, B.D., see Bhat, Y.S. (111) 307
Bolzacchini, E., Meinardi, S., Orlandi, M. and Rindone, B.
Substituent effects in the cobalt-catalyzed oxidative carbonylation of aromatic amines (111) 281
Brintzinger, H.-H., see Beck, S. (111) 67
Cariati, E., see Roberto, D. (111) 97
Cenini, S., Bettettini, E., Fedele, M. and Tollari, S.
Intramolecular amination catalysed by ruthenium and palladium. Synthesis of 2-acyl indoles and 2-aryl quinolines by carbonylation of 2-nitrochalcones (111) 37
Cenini, S., see Ragaini, F. (111) 91
Chiusoli, G.P., see Gabriele, B. (111) 43
Cho, O.-J., see Kim, H.-S. (111) 49
Cividino, P., see Masson, J. (111) 289
Costa, M., see Gabriele, B. (111) 43
Court, J., see Masson, J. (111) 289
Das, J., see Bhat, Y.S. (111) 307
Dell'Anna, M.M., Mastrorilli, P., Nobile, C.F. and Lopez, L.
Aerobic oxidation of $\alpha$-hydroxyketones catalysed by cobalt(II) and iron(III) complexes under homogeneous and heterogeneous conditions (111) 33
Detusheva, L.G., see Kuznetsova, L.I. (111) 81
Di Renzo, F., see Hulea, V. (111) 325
Duca, D., see La Manna, G. (111) 109
Echevarría, G.R., see García del Vado, M.A. (111) 193
Ellis, P.J., Joyner, R.W., Maschmeyer, T., Masters, A.F., Niles, D.A. and Smith, A.K.
An EXAFS investigation of chromocene on silica using empirical, semi-empirical and ab initio methods (111) 297
Fedele, M., see Cenini, S. (111) 37
Fedotov, M.A., see Kuznetsova, L.I. (111) 81
Ferragina, C., see Giannoccaro, P. (111) 135
Ferrarini, P., see Raspolli Galletti, A.M. (111) 273
Fink, G., see Beck, S. (111) 67
Freire, F., see Maldonado-Hódar, F.J. (111) 313
Gabriele, B., Salerno, G., Costa, M. and Chiusoli, G.P.
A simple catalytic system for the substitutive carbonylation of allyl alcohols to $\beta,\gamma$-unsaturated acids or esters (111) 43
Galvagno, S., see Neri, G. (111) 257
Ganzerla, R., see Lenarda, M. (111) 203
Gao, X.-R., see Huang, J.-W. (111) 261
García Blanco, F., see García del Vado, M.A. (111) 193
García del Vado, M.A., Martín Pérez, M.P., Rodríguez Cardona, A.F., Echevarría, G.R., Santos Blanco, J.G. and García Blanco, F.
Kinetics of the formation and hydrolysis of the Schiff bases of pyridoxal 5′-phosphate and copolypeptides containing L-lysine and aromatic L-amino acids (111) 193
Garin, F., see Zsoldos, Z. (111) 113
Geri, G., see Raspolli Galletti, A.M. (111) 273
Giannoccaro, P., La Ginestra, A., Massucci, M.A., Ferragina, C. and Mattogno, G.
Intercalation compounds of $\alpha$-zirconium hydrogen phosphate with $Rh^{3+}$ ions and $Rh^{3+}$–diamine complexes. Part II. Their behaviour towards CO, $CO_2$ and $H_2$ and their use in the CO catalytic oxidation (111) 135
Goretzki, R., see Beck, S. (111) 67
Guczi, L., see Zsoldos, Z. (111) 113
Halgeri, A.B., see Bhat, Y.S. (111) 307
Hanaoka, T.-a., see Kubota, Y. (111) L187
Herfert, N., see Beck, S. (111) 67
Hilaire, L., see Zsoldos, Z. (111) 113
Hong, S.-P., see Kim, H.-S. (111) 49
Huang, J.-W., Liu, Z.-L., Gao, X.-R., Yang, D., Peng, X.-Y. and Ji, L.-N.
Hydroxylation of cyclohexane catalyzed by iron(III)–metal-free porphyrin dimer with molecular oxygen: The effect of the steric hindrance and the intramolecular interaction between the two porphyrin rings (111) 261

Hulea, V., Moreau, P. and Di Renzo, F.
Thioether oxidation by hydrogen peroxide using titanium-containing zeolites as catalysts (111) 325
Hülstede, P., see Nováková, J. (111) 123
Ikeda, M., see Satoh, T. (111) 25
Iwanejko, R., Battioni, P., Mansuy, D. and Mlodnicka, T.
Reactivity of polyhalogenated metalloporphyrins in epoxidation of propene with magnesium monoperoxyphthalate (111) 7
Iwasawa, Y., see Kondarides, D.I. (111) 145
Jaeger, N.I., see Nováková, J. (111) 123
Ji, L.-N., see Huang, J.-W. (111) 261
Joyner, R.W., see Ellis, P.J. (111) 297
Kim, H.-S., Cho, O.-J., Lee, I.-M., Hong, S.-P., Kwag, C.-Y. and Ahn, B.S.
Selective hydrogenolysis of chlorofluorocarbons by $RhCl(PPh_3)_3$ (111) 49
Kiwi, J., see Bandara, J. (111) 333
Kolarić, S. and Šunjić, V.
Homogeneous catalytic hydrogenation of aldehydes and aldoses in organic solvents and water (111) 239
Kondarides, D.I., Tomishige, K., Nagasawa, Y., Lee, U. and Iwasawa, Y.
Characterization and performance of a $[PtMo_6]/MgO$ catalyst for alkane-to-alkene conversion (111) 145
Kooyman, P.J., Luijkx, G.C.A., Arafat, A. and Van Bekkum, H.
Microwave heating in the TS-1 catalyzed oxyfunctionalisation of *n*-hexane (111) 167
Kubelková, L., see Nováková, J. (111) 123
Kubota, Y., Hanaoka, T.-a., Takeuchi, K. and Sugi, Y.
Palladium-catalyzed carbonylation of aryl bromides and iodides with potassium phenoxides (111) L187
Kuznetsova, L.I., Detusheva, L.G., Fedotov, M.A. and Likholobov, V.A.
Catalytic properties of heteropoly complexes containing Fe(III) ions in benzene oxidation by hydrogen peroxide (111) 81
Kwag, C.-Y., see Kim, H.-S. (111) 49
La Ginestra, A., see Giannoccaro, P. (111) 135
La Manna, G. and Duca, D.
Ab initio evaluation of the equilibria between isomeric cyclooctadienes (111) 109
Lee, B. and Alper, H.
Regioselective hydroformylation of allyl acetates catalyzed by rhodium–montmorillonite (111) 17
Lee, B. and Alper, H.
Regiospecific hydroesterification of vinylsilanes catalyzed by palladium–montmorillonite (111) L3
Lee, I.-M., see Kim, H.-S. (111) 49
Lee, U., see Kondarides, D.I. (111) 145
Lenarda, M., Storaro, L. and Ganzerla, R.
Hydroformylation of simple olefins catalyzed by metals and clusters supported on unfunctionalized inorganic carriers (111) 203
Likholobov, V.A., see Kuznetsova, L.I. (111) 81
Liu, Z.-L., see Huang, J.-W. (111) 261
Lopez, L., see Dell'Anna, M.M. (111) 33
Luijkx, G.C.A., see Kooyman, P.J. (111) 167
Madeira, L.M., see Maldonado-Hódar, F.J. (111) 313
Maldonado-Hódar, F.J., Madeira, L.M., Portela, M.F., Martín-Aranda, R.M. and Freire, F.
Oxidative dehydrogenation of butane: changes in chemical, structural and catalytic behavior of Cs-doped nickel molybdate (111) 313
Mansuy, D., see Iwanejko, R. (111) 7
Marchionna, M., see Raspolli Galletti, A.M. (111) 273
Martín-Aranda, R.M., see Maldonado-Hódar, F.J. (111) 313
Martín Pérez, M.P., see García del Vado, M.A. (111) 193
Maschmeyer, T., see Ellis, P.J. (111) 297
Masson, J., Cividino, P. and Court, J.
Influence of the starting Ni–Al phases on the enantio-differentiating properties of tartaric acid-modified Raney nickel (111) 289
Massucci, M.A., see Giannoccaro, P. (111) 135
Masters, A.F., see Ellis, P.J. (111) 297
Mastrorilli, P., see Dell'Anna, M.M. (111) 33
Mattogno, G., see Giannoccaro, P. (111) 135
McCann, M. and Beaumont, A.J.
Dialkyl(2,2′-bipyridyl)dioxomolybdenum(VI) complexes: a new family of compounds for the ring-opening metathesis polymerization (ROMP) of norbornene (111) 251
Meinardi, S., see Bolzacchini, E. (111) 281
Miura, M., see Satoh, T. (111) 25
Mlodnicka, T., see Iwanejko, R. (111) 7
Moreau, P., see Hulea, V. (111) 325
Musolino, M.G., see Neri, G. (111) 257
Nagasawa, Y., see Kondarides, D.I. (111) 145
Naigre, R. and Alper, H.
Palladium clay catalyzed regio- and stereospecific synthesis of β,γ-unsaturated acids by the carbonylation of allylic alcohols (111) 11
Neri, G., Musolino, M.G., Rotondo, E. and Galvagno, S.
Catalytic hydrogenation of 2,4-dinitrotoluene over a Pd/C catalyst: identification of 2-(hydroxyamino)-4-nitrotoluene (2HA4NT) as reaction intermediate (111) 257
Niles, D.A., see Ellis, P.J. (111) 297
Nobile, C.F., see Dell'Anna, M.M. (111) 33
Nomura, M., see Satoh, T. (111) 25
Nováková, J., Kubelková, L., Hülstede, P., Jaeger, N.I. and Schulz-Ekloff, G.
Decomposition of Pt anionic carbonyl complexes in X zeolites. Reactivity of $Pt^0$ in the NO + CO reaction. Comparison with the vacuum decomposed $[Pt(NH_3)_4]^{2+}$ complex (111) 123
Orlandi, M., see Bolzacchini, E. (111) 281
Otsuka, K., see Wang, Y. (111) 341
Pajonk, G., see Bandara, J. (111) 333
Pakkanen, T.A., see Timonen, S. (111) 267
Pakkanen, T.T., see Timonen, S. (111) 267
Peng, X.-Y., see Huang, J.-W. (111) 261
Pizzotti, M., see Roberto, D. (111) 97
Portela, M.F., see Maldonado-Hódar, F.J. (111) 313
Prosenc, M.-H., see Beck, S. (111) 67
Psaro, R., see Roberto, D. (111) 97
Pulgarin, C., see Bandara, J. (111) 333
Ragaini, F., Tollari, S., Cenini, S. and Bettetini, E.
Transition metal-mediated N-heterocyclisation reactions. Synthesis of 2-phenylindole by reduction by CO of 2-nitrostilbene catalysed by $[Rh(CO)_4]^-$ (111) 91
Raspolli Galletti, A.M., Geri, G., Sbrana, G., Marchionna, M. and Ferrarini, P.
Striking different behavior in the activation of α-olefins by

homogeneous and heterogenized catalysts based on η5-cyclopentadienyl nickel derivatives (111) 273
Rindone, B., see Bolzacchini, E. (111) 281
Roberto, D., Cariati, E., Pizzotti, M. and Psaro, R.
Extraction methods and surface reactions as a convenient methodology for the characterization of surface organometallic species (111) 97
Rodríguez Cardona, A.F., see García del Vado, M.A. (111) 193
Rotondo, E., see Neri, G. (111) 257
Salerno, G., see Gabriele, B. (111) 43
Santos Blanco, J.G., see García del Vado, M.A. (111) 193
Satoh, T., Ikeda, M., Miura, M. and Nomura, M.
Palladium-catalyzed phenoxycarbonylation of aryl iodides: electronic effect of the substituents on phenol (111) 25
Sbrana, G., see Raspolli Galletti, A.M. (111) 273
Schulz-Ekloff, G., see Nováková, J. (111) 123
Smith, A.K., see Ellis, P.J. (111) 297
Storaro, L., see Lenarda, M. (111) 203
Sugi, Y., see Kubota, Y. (111) L187
Šunjić, V., see Kolarić, S. (111) 239
Takeuchi, K., see Kubota, Y. (111) L187
Timonen, S., Pakkanen, T.T. and Pakkanen, T.A.
Novel single-site catalysts containing a platinum group metal and a macrocyclic sulfur ligand for ethylene polymerization (111) 267
Tollari, S., see Cenini, S. (111) 37
Tollari, S., see Ragaini, F. (111) 91
Tomishige, K., see Kondarides, D.I. (111) 145
Van Bekkum, H., see Kooyman, P.J. (111) 167
Wagner, G.W. and Bartram, P.W.
Reactions of the mustard simulant 2-chloroethyl phenyl sulfide with self-decontaminating sorbents. A $^{13}C$ MAS NMR study (111) 175
Wang, Y. and Otsuka, K.
Structure of catalytic active site for oxidation of methane to methanol by $H_2-O_2$ gas mixture over iron-containing catalysts (111) 341
Yang, D., see Huang, J.-W. (111) 261
Zsoldos, Z., Garin, F., Hilaire, L. and Guczi, L.
Genesis of cobalt oxide-induced surface structure in $PtCo_x/Al_2O_3$ catalysts (111) 113

ELSEVIER

Journal of Molecular Catalysis A: Chemical 111 (1996) 361–366

JOURNAL OF MOLECULAR CATALYSIS A: CHEMICAL

# Subject Index

Ab initio calculations
Ab initio evaluation of the equilibria between isomeric cyclooctadienes (La Manna, G. (111) 109)

Acidity
MFI metallosilicates catalyzed *ortho*- and *para*-toluidine conversion (Bhat, Y.S. (111) 307)

Active site
Structure of catalytic active site for oxidation of methane to methanol by $H_2$–$O_2$ gas mixture over iron-containing catalysts (Wang, Y. (111) 341)

2-Acyl indoles
Intramolecular amination catalysed by ruthenium and palladium. Synthesis of 2-acyl indoles and 2-aryl quinolines by carbonylation of 2-nitrochalcones (Cenini, S. (111) 37)

Alkanes
Characterization and performance of a $[PtMo_6]/MgO$ catalyst for alkane-to-alkene conversion (Kondarides, D.I. (111) 145)

Allyl acetates
Regioselective hydroformylation of allyl acetates catalyzed by rhodium–montmorillonite (Lee, B. (111) 17)

Allyl alcohols
A simple catalytic system for the substitutive carbonylation of allyl alcohols to β,γ-unsaturated acids or esters (Gabriele, B. (111) 43)

Allylic alcohols
Palladium clay catalyzed regio- and stereospecific synthesis of β,γ-unsaturated acids by the carbonylation of allylic alcohols (Naigre, R. (111) 11)

Amination
Intramolecular amination catalysed by ruthenium and palladium. Synthesis of 2-acyl indoles and 2-aryl quinolines by carbonylation of 2-nitrochalcones (Cenini, S. (111) 37)

Aromatic amine
Substituent effects in the cobalt-catalyzed oxidative carbonylation of aromatic amines (Bolzacchini, E. (111) 281)

Aryl bromides
Palladium-catalyzed carbonylation of aryl bromides and iodides with potassium phenoxides (Kubota, Y. (111) L187)

Aryl esters
Palladium-catalyzed carbonylation of aryl bromides and iodides with potassium phenoxides (Kubota, Y. (111) L187)

Aryl iodides
Palladium-catalyzed phenoxycarbonylation of aryl iodides: electronic effect of the substituents on phenol (Satoh, T. (111) 25)

Palladium-catalyzed carbonylation of aryl bromides and iodides with potassium phenoxides (Kubota, Y. (111) L187)

Aryloxycarbonylation
Palladium-catalyzed carbonylation of aryl bromides and iodides with potassium phenoxides (Kubota, Y. (111) L187)

2-Arylquinolines
Intramolecular amination catalysed by ruthenium and palladium. Synthesis of 2-acyl indoles and 2-aryl quinolines by carbonylation of 2-nitrochalcones (Cenini, S. (111) 37)

Benzene oxidation
Catalytic properties of heteropoly complexes containing Fe(III) ions in benzene oxidation by hydrogen peroxide (Kuznetsova, L.I. (111) 81)

Bimetallic catalysts
Genesis of cobalt oxide-induced surface structure in $PtCo_x/Al_2O_3$ catalysts (Zsoldos, Z. (111) 113)

4-Bromobiphenyl
Palladium-catalyzed carbonylation of aryl bromides and iodides with potassium phenoxides (Kubota, Y. (111) L187)

Butane
Oxidative dehydrogenation of butane: changes in chemical, structural and catalytic behavior of Cs-doped nickel molybdate (Maldonado-Hódar, F.J. (111) 313)

Carbon
Hydroformylation of simple olefins catalyzed by metals and clusters supported on unfunctionalized inorganic carriers (Lenarda, M. (111) 203)

Carbonylation
Palladium clay catalyzed regio- and stereospecific synthesis of β,γ-unsaturated acids by the carbonylation of allylic alcohols (Naigre, R. (111) 11)

Intramolecular amination catalysed by ruthenium and palladium. Synthesis of 2-acyl indoles and 2-aryl quinolines by carbonylation of 2-nitrochalcones (Cenini, S. (111) 37)

A simple catalytic system for the substitutive carbonylation of allyl alcohols to β,γ-unsaturated acids or esters (Gabriele, B. (111) 43)

Substituent effects in the cobalt-catalyzed oxidative carbonylation of aromatic amines (Bolzacchini, E. (111) 281)

Carboxylic acids
A simple catalytic system for the substitutive carbonylation of allyl alcohols to β,γ-unsaturated acids or esters (Gabriele, B. (111) 43)

Catalytic oxidation
Intercalation compounds of α-zirconium hydrogen phosphate with $Rh^{3+}$ ions and $Rh^{3+}$–diamine complexes. Part II. Their behaviour towards CO, $CO_2$ and $H_2$ and their use in the CO catalytic oxidation (Giannoccaro, P. (111) 135)

Characterization
Characterization and performance of a $[PtMo_6]/MgO$ catalyst for alkane-to-alkene conversion (Kondarides, D.I. (111) 145)

Chromocene
An EXAFS investigation of chromocene on silica using empirical, semi-empirical and ab initio methods (Ellis, P.J. (111) 297)

Clay
Palladium clay catalyzed regio- and stereospecific synthesis of β,γ-unsaturated acids by the carbonylation of allylic alcohols (Naigre, R. (111) 11)

Clusters
Hydroformylation of simple olefins catalyzed by metals and clusters supported on unfunctionalized inorganic carriers (Lenarda, M. (111) 203)

Co
Genesis of cobalt oxide-induced surface structure in $PtCo_x/Al_2O_3$ catalysts (Zsoldos, Z. (111) 113)

Cobalt
Substituent effects in the cobalt-catalyzed oxidative carbonylation of aromatic amines (Bolzacchini, E. (111) 281)

Co effect
Genesis of cobalt oxide-induced surface structure in $PtCo_x/Al_2O_3$ catalysts (Zsoldos, Z. (111) 113)

$CO + H_2$ reaction
Genesis of cobalt oxide-induced surface structure in $PtCo_x/Al_2O_3$ catalysts (Zsoldos, Z. (111) 113)

CO + NO reaction
Decomposition of Pt anionic carbonyl complexes in X zeolites. Reactivity of $Pt^o$ in the NO + CO reaction. Comparison with the vacuum decomposed $[Pt(NH_3)_4]^{2+}$ complex (Nováková, J. (111) 123)

Copper
Palladium-catalyzed phenoxycarbonylation of aryl iodides: electronic effect of the substituents on phenol (Satoh, T. (111) 25)

CuO-aerogel
Catalytic oxidation and photo-oxidation of nitrophenols by strong oxidants generated in situ via CuO-aerogel (Bandara, J. (111) 333)

Cyclic
Catalytic oxidation and photo-oxidation of nitrophenols by strong oxidants generated in situ via CuO-aerogel (Bandara, J. (111) 333)

Cyclohexane
Hydroxylation of cyclohexane catalyzed by iron(III)–metal-free porphyrin dimer with molecular oxygen: The effect of the steric hindrance and the intramolecular interaction between the two porphyrin rings (Huang, J.-W. (111) 261)

Cyclooctadienes
Ab initio evaluation of the equilibria between isomeric cyclooctadienes (La Manna, G. (111) 109)

Decomposition
Decomposition of Pt anionic carbonyl complexes in X zeolites. Reactivity of $Pt^o$ in the NO + CO reaction. Comparison with the vacuum decomposed $[Pt(NH_3)_4]^{2+}$ complex (Nováková, J. (111) 123)

Dehydrogenation
Characterization and performance of a $[PtMo_6]/MgO$ catalyst for alkane-to-alkene conversion (Kondarides, D.I. (111) 145)

Oxidative dehydrogenation of butane: changes in chemical, structural and catalytic behavior of Cs-doped nickel molybdate (Maldonado-Hódar, F.J. (111) 313)

Diketones
Aerobic oxidation of α-hydroxyketones catalysed by cobalt(II) and iron(III) complexes under homogeneous and heterogeneous conditions (Dell'Anna, M.M. (111) 33)

2,4-Dinitrotoluene
Catalytic hydrogenation of 2,4-dinitrotoluene over a Pd/C catalyst: identification of 2-(hydroxyamino)-4-nitrotoluene (2HA4NT) as reaction intermediate (Neri, G. (111) 257)

Enantioselectivity
Influence of the starting Ni–Al phases on the enantio-differentiating properties of tartaric acid-modified Raney nickel (Masson, J. (111) 289)

Esters
A simple catalytic system for the substitutive carbonylation of allyl alcohols to β,γ-unsaturated acids or esters (Gabriele, B. (111) 43)

Ethylene
Novel single-site catalysts containing a platinum group metal and a macrocyclic sulfur ligand for ethylene polymerization (Timonen, S. (111) 267)

Ethylene polymerisation
An EXAFS investigation of chromocene on silica using empirical, semi-empirical and ab initio methods (Ellis, P.J. (111) 297)

EXAFS
An EXAFS investigation of chromocene on silica using empirical, semi-empirical and ab initio methods (Ellis, P.J. (111) 297)

Extraction methods
Extraction methods and surface reactions as a convenient methodology for the characterization of surface organometallic species (Roberto, D. (111) 97)

Fe(III)-containing heteropoly complexes
Catalytic properties of heteropoly complexes containing Fe(III) ions in benzene oxidation by hydrogen peroxide (Kuznetsova, L.I. (111) 81)

Force field
Substituent effects in the cobalt-catalyzed oxidative carbonylation of aromatic amines (Bolzacchini, E. (111) 281)

Heterocycles
Transition metal-mediated N-heterocyclisation reactions. Synthesis of 2-phenylindole by reduction by CO of 2-nitrostilbene catalysed by $[Rh(CO)_4]^-$ (Ragaini, F. (111) 91)

N-Heterocyclisation reactions
Transition metal-mediated N-heterocyclisation reactions. Synthesis of 2-phenylindole by reduction by CO of 2-nitrostilbene catalysed by $[Rh(CO)_4]^-$ (Ragaini, F. (111) 91)

Heterogeneous catalysis
Hydroformylation of simple olefins catalyzed by metals and clusters supported on unfunctionalized inorganic carriers (Lenarda, M. (111) 203)

Heterogeneous reactions
Aerobic oxidation of α-hydroxyketones catalysed by cobalt(II) and iron(III) complexes under homogeneous and heterogeneous conditions (Dell'Anna, M.M. (111) 33)

Heterogenized catalysts
Striking different behavior in the activation of α-olefins by homogeneous and heterogenized catalysts based on η5-cyclopentadienyl nickel derivatives (Raspolli Galletti, A.M. (111) 273)

*n*-Hexane oxyfunctionalisation
Microwave heating in the TS-1 catalyzed oxyfunctionalisation of *n*-hexane (Kooyman, P.J. (111) 167)

Homogeneous
Novel single-site catalysts containing a platinum group metal and a macrocyclic sulfur ligand for ethylene polymerization (Timonen, S. (111) 267)

Homogeneous catalysis
Transition metal-mediated N-heterocyclisation reactions. Synthesis of 2-phenylindole by reduction by CO of 2-nitrostilbene catalysed by $[Rh(CO)_4]^-$ (Ragaini, F. (111) 91)

Hydroformylation
Regioselective hydroformylation of allyl acetates catalyzed by rhodium–montmorillonite (Lee, B. (111) 17)

Hydroformylation of simple olefins catalyzed by metals and clusters supported on unfunctionalized inorganic carriers (Lenarda, M. (111) 203)

Hydrogenation
Catalytic hydrogenation of 2,4-dinitrotoluene over a Pd/C catalyst: identification of 2-(hydroxyamino)-4-nitrotoluene (2HA4NT) as reaction intermediate (Neri, G. (111) 257)

Hydrogenation by dihydrogen
Homogeneous catalytic hydrogenation of aldehydes and aldoses in organic solvents and water (Kolarić, S. (111) 239)

Hydrogen peroxide
Microwave heating in the TS-1 catalyzed oxyfunctionalisation of *n*-hexane (Kooyman, P.J. (111) 167)

Thioether oxidation by hydrogen peroxide using titanium-containing zeolites as catalysts (Hulea, V. (111) 325)

Hydrogen peroxide decomposition
Catalytic properties of heteropoly complexes containing Fe(III) ions in benzene oxidation by hydrogen peroxide (Kuznetsova, L.I. (111) 81)

Hydroxyketones
Aerobic oxidation of α-hydroxyketones catalysed by cobalt(II) and iron(III) complexes under homogeneous and heterogeneous conditions (Dell'Anna, M.M. (111) 33)

Hydroxylation
Hydroxylation of cyclohexane catalyzed by iron(III)–metal-free porphyrin dimer with molecular oxygen: The effect of the steric hindrance and the intramolecular interaction between the two porphyrin rings (Huang, J.-W. (111) 261)

Indoles
Transition metal-mediated N-heterocyclisation reactions. Synthesis of 2-phenylindole by reduction by CO of 2-nitrostilbene catalysed by $[Rh(CO)_4]^-$ (Ragaini, F. (111) 91)

Intercalation
Intercalation compounds of α-zirconium hydrogen phosphate with $Rh^{3+}$ ions and $Rh^{3+}$–diamine complexes. Part II. Their behaviour towards CO, $CO_2$ and $H_2$ and their use in the CO catalytic oxidation (Giannoccaro, P. (111) 135)

IR
Catalytic properties of heteropoly complexes containing Fe(III) ions in benzene oxidation by hydrogen peroxide (Kuznetsova, L.I. (111) 81)

Iron-containing solid catalysts
Structure of catalytic active site for oxidation of methane to methanol by $H_2$–$O_2$ gas mixture over iron-containing catalysts (Wang, Y. (111) 341)

Iron(III)–metal-free porphyrin dimer
Hydroxylation of cyclohexane catalyzed by iron(III)–metal-free porphyrin dimer with molecular oxygen: The effect of the steric hindrance and the intramolecular interaction between the two porphyrin rings (Huang, J.-W. (111) 261)

Isomerisation
Ab initio evaluation of the equilibria between isomeric cyclooctadienes (La Manna, G. (111) 109)

Isomerization
MFI metallosilicates catalyzed *ortho*- and *para*-toluidine conversion (Bhat, Y.S. (111) 307)

Ketones
Aerobic oxidation of α-hydroxyketones catalysed by cobalt(II) and iron(III) complexes under homogeneous and heterogeneous conditions (Dell'Anna, M.M. (111) 33)

L-lysine
Kinetics of the formation and hydrolysis of the Schiff bases of pyridoxal 5′-phosphate and copolypeptides containing L-lysine and aromatic L-amino acids (García del Vado, M.A. (111) 193)

L-phenylalanine
Kinetics of the formation and hydrolysis of the Schiff bases of pyridoxal 5′-phosphate and copolypeptides containing L-lysine and aromatic L-amino acids (García del Vado, M.A. (111) 193)

L-tyrosine
Kinetics of the formation and hydrolysis of the Schiff bases of pyridoxal 5′-phosphate and copolypeptides containing L-lysine and aromatic L-amino acids (García del Vado, M.A. (111) 193)

Macrocyclic thioether
Novel single-site catalysts containing a platinum group metal and a macrocyclic sulfur ligand for ethylene polymerization (Timonen, S. (111) 267)

Magnesium
Characterization and performance of a $[PtMo_6]/MgO$ catalyst for alkane-to-alkene conversion (Kondarides, D.I. (111) 145)

Metal β-diketonates
Aerobic oxidation of α-hydroxyketones catalysed by cobalt(II) and iron(III) complexes under homogeneous and heterogeneous conditions (Dell'Anna, M.M. (111) 33)

Metalloporphyrins
Reactivity of polyhalogenated metalloporphyrins in epoxidation of propene with magnesium monoperoxyphthalate (Iwanejko, R. (111) 7)

Metathesis
Dialkyl(2,2′-bipyridyl)dioxomolybdenum(VI) complexes: a new family of compounds for the ring-opening metathesis polymerization (ROMP) of norbornene (McCann, M. (111) 251)

Methane
Structure of catalytic active site for oxidation of methane to methanol by $H_2$–$O_2$ gas mixture over iron-containing catalysts (Wang, Y. (111) 341)

Methanol
Structure of catalytic active site for oxidation of methane to methanol by $H_2$–$O_2$ gas mixture over iron-containing catalysts (Wang, Y. (111) 341)

MFI metallosilicates
MFI metallosilicates catalyzed *ortho*- and *para*-toluidine conversion (Bhat, Y.S. (111) 307)

Microwave heating
Microwave heating in the TS-1 catalyzed oxyfunctionalisation of *n*-hexane (Kooyman, P.J. (111) 167)

Model of cytochrome P450
Hydroxylation of cyclohexane catalyzed by iron(III)–metal-free porphyrin dimer with molecular oxygen: The effect of the steric hindrance and the intramolecular interaction between the two porphyrin rings (Huang, J.-W. (111) 261)

Molybdenum
Characterization and performance of a $[PtMo_6]/MgO$ catalyst for alkane-to-alkene conversion (Kondarides, D.I. (111) 145)

Dialkyl(2,2′-bipyridyl)dioxomolybdenum(VI) complexes: a new family of compounds for the ring-opening metathesis polymerization (ROMP) of norbornene (McCann, M. (111) 251)

Montmorillonite
Regioselective hydroformylation of allyl acetates catalyzed by rhodium–montmorillonite (Lee, B. (111) 17)

Nickel–aluminium
Influence of the starting Ni–Al phases on the enantio-differentiating properties of tartaric acid-modified Raney nickel (Masson, J. (111) 289)

Nickel catalysts
Striking different behavior in the activation of α-olefins by homogeneous and heterogenized catalysts based on η5-cyclopentadienyl nickel derivatives (Raspolli Galletti, A.M. (111) 273)

Nickel molybdates
Oxidative dehydrogenation of butane: changes in chemical, structural and catalytic behavior of Cs-doped nickel molybdate (Maldonado-Hódar, F.J. (111) 313)

Nitrogen ligands
Homogeneous catalytic hydrogenation of aldehydes and aldoses in organic solvents and water (Kolarić, S. (111) 239)

Nitrophenol catalytic degradation
Catalytic oxidation and photo-oxidation of nitrophenols by strong oxidants generated in situ via CuO-aerogel (Bandara, J. (111) 333)

NMR
Binuclear zirconocene cations with $\mu$-$CH_3$-bridges in homogeneous Ziegler–Natta catalyst systems (Beck, S. (111) 67)

NMR spectroscopy
Catalytic properties of heteropoly complexes containing Fe(III) ions in benzene oxidation by hydrogen peroxide (Kuznetsova, L.I. (111) 81)

Norbornene
Dialkyl(2,2′-bipyridyl)dioxomolybdenum(VI) complexes: a new family of compounds for the ring-opening metathesis polymerization (ROMP) of norbornene (McCann, M. (111) 251)

Oligomerization
Striking different behavior in the activation of α-olefins by homogeneous and heterogenized catalysts based on η5-cyclopentadienyl nickel derivatives (Raspolli Galletti, A.M. (111) 273)

Organic nitro compounds
Transition metal-mediated N-heterocyclisation reactions. Synthesis of 2-phenylindole by reduction by CO of 2-nitrostilbene catalysed by $[Rh(CO)_4]^-$ (Ragaini, F. (111) 91)

Organometallic species
Extraction methods and surface reactions as a convenient methodology for the characterization of surface organometallic species (Roberto, D. (111) 97)

Oxidation
Reactivity of polyhalogenated metalloporphyrins in epoxidation of propene with magnesium monoperoxyphthalate (Iwanejko, R. (111) 7)

Aerobic oxidation of α-hydroxyketones catalysed by cobalt(II) and iron(III) complexes under homogeneous and heterogeneous conditions (Dell'Anna, M.M. (111) 33)

Substituent effects in the cobalt-catalyzed oxidative carbonylation of aromatic amines (Bolzacchini, E. (111) 281)

Oxidative dehydrogenation of butane: changes in chemical, structural and catalytic behavior of Cs-doped nickel molybdate (Maldonado-Hódar, F.J. (111) 313)

Thioether oxidation by hydrogen peroxide using titanium-containing zeolites as catalysts (Hulea, V. (111) 325)

Oxides
Hydroformylation of simple olefins catalyzed by metals and clusters supported on unfunctionalized inorganic carriers (Lenarda, M. (111) 203)

Palladium
Palladium clay catalyzed regio- and stereospecific synthesis of β,γ-unsaturated acids by the carbonylation of allylic alcohols (Naigre, R. (111) 11)

Palladium-catalyzed phenoxycarbonylation of aryl iodides: electronic effect of the substituents on phenol (Satoh, T. (111) 25)

Intramolecular amination catalysed by ruthenium and palladium. Synthesis of 2-acyl indoles and 2-aryl quinolines by carbonylation of 2-nitrochalcones (Cenini, S. (111) 37)

A simple catalytic system for the substitutive carbonylation of allyl alcohols to β,γ-unsaturated acids or esters (Gabriele, B. (111) 43)

Catalytic hydrogenation of 2,4-dinitrotoluene over a Pd/C catalyst: identification of 2-(hydroxyamino)-4-nitrotoluene (2HA4NT) as reaction intermediate (Neri, G. (111) 257)

Palladium-catalyzed carbonylation
Palladium-catalyzed carbonylation of aryl bromides and iodides with potassium phenoxides (Kubota, Y. (111) L187)

Peroxo complexes
Catalytic properties of heteropoly complexes containing Fe(III) ions in benzene oxidation by hydrogen peroxide (Kuznetsova, L.I. (111) 81)

Phenoxycarbonylation
Palladium-catalyzed phenoxycarbonylation of aryl iodides: electronic effect of the substituents on phenol (Satoh, T. (111) 25)

Phosphine ligands
Palladium-catalyzed carbonylation of aryl bromides and iodides with potassium phenoxides (Kubota, Y. (111) L187)

Photocatalysis
Catalytic oxidation and photo-oxidation of nitrophenols by strong oxidants generated in situ via CuO-aerogel (Bandara, J. (111) 333)

Pillared clays
Hydroformylation of simple olefins catalyzed by metals and clusters supported on unfunctionalized inorganic carriers (Lenarda, M. (111) 203)

Platinum
Characterization and performance of a $[PtMo_6]/MgO$ catalyst for alkane-to-alkene conversion (Kondarides, D.I. (111) 145)

Novel single-site catalysts containing a platinum group metal and a macrocyclic sulfur ligand for ethylene polymerization (Timonen, S. (111) 267)

PLP
Kinetics of the formation and hydrolysis of the Schiff bases of pyridoxal 5′-phosphate and copolypeptides containing L-lysine and aromatic L-amino acids (García del Vado, M.A. (111) 193)

Polymer
Aerobic oxidation of α-hydroxyketones catalysed by cobalt(II) and iron(III) complexes under homogeneous and heterogeneous conditions (Dell'Anna, M.M. (111) 33)

Polymerization
Dialkyl(2,2′-bipyridyl)dioxomolybdenum(VI) complexes: a new family of compounds for the ring-opening metathesis polymerization (ROMP) of norbornene (McCann, M. (111) 251)

Novel single-site catalysts containing a platinum group metal and a macrocyclic sulfur ligand for ethylene polymerization (Timonen, S. (111) 267)

Striking different behavior in the activation of α-olefins by homogeneous and heterogenized catalysts based on η5-cyclopentadienyl nickel derivatives (Raspolli Galletti, A.M. (111) 273)

Polymer support
Striking different behavior in the activation of α-olefins by homogeneous and heterogenized catalysts based on η5-cyclopentadienyl nickel derivatives (Raspolli Galletti, A.M. (111) 273)

Potassium phenoxides
Palladium-catalyzed carbonylation of aryl bromides and iodides with potassium phenoxides (Kubota, Y. (111) L187)

Promoters
Oxidative dehydrogenation of butane: changes in chemical, structural and catalytic behavior of Cs-doped nickel molybdate (Maldonado-Hódar, F.J. (111) 313)

Propene
Reactivity of polyhalogenated metalloporphyrins in epoxidation of propene with magnesium monoperoxyphthalate (Iwanejko, R. (111) 7)

Pt
Genesis of cobalt oxide-induced surface structure in $PtCo_x/Al_2O_3$ catalysts (Zsoldos, Z. (111) 113)

Pt carbonyl complexes in KX and NaX
Decomposition of Pt anionic carbonyl complexes in X zeolites. Reactivity of $Pt^o$ in the NO + CO reaction. Comparison with the vacuum decomposed $[Pt(NH_3)_4]^{2+}$ complex (Nováková, J. (111) 123)

Raney nickel
Influence of the starting Ni–Al phases on the enantio-differentiating properties of tartaric acid-modified Raney nickel (Masson, J. (111) 289)

Regioselectivity
Regioselective hydroformylation of allyl acetates catalyzed by rhodium–montmorillonite (Lee, B. (111) 17)

Regiospecificity
Palladium clay catalyzed regio- and stereospecific synthesis of β,γ-unsaturated acids by the carbonylation of allylic alcohols (Naigre, R. (111) 11)

Rhenium complexes
Intercalation compounds of α-zirconium hydrogen phosphate with $Rh^{3+}$ ions and $Rh^{3+}$–diamine complexes. Part II. Their behaviour towards CO, $CO_2$ and $H_2$ and their use in the CO catalytic oxidation (Giannoccaro, P. (111) 135)

Rhodium
Regioselective hydroformylation of allyl acetates catalyzed by rhodium–montmorillonite (Lee, B. (111) 17)

Transition metal-mediated N-heterocyclisation reactions. Synthesis of 2-phenylindole by reduction by CO of 2-nitrostilbene catalysed by $[Rh(CO)_4]^-$ (Ragaini, F. (111) 91)

Novel single-site catalysts containing a platinum group metal and a macrocyclic sulfur ligand for ethylene polymerization (Timonen, S. (111) 267)

Rhodium tetracarbonyl anion
Transition metal-mediated N-heterocyclisation reactions. Synthesis of 2-phenylindole by reduction by CO of 2-nitrostilbene catalysed by $[Rh(CO)_4]^-$ (Ragaini, F. (111) 91)

Ring-opening
Dialkyl(2,2′-bipyridyl)dioxomolybdenum(VI) complexes: a new family of compounds for the ring-opening metathesis polymerization (ROMP) of norbornene (McCann, M. (111) 251)

Ruthenium
Intramolecular amination catalysed by ruthenium and palladium. Synthesis of 2-acyl indoles and 2-aryl quinolines by carbonylation of 2-nitrochalcones (Cenini, S. (111) 37)

Schiff base
Kinetics of the formation and hydrolysis of the Schiff bases of pyridoxal 5′-phosphate and copolypeptides containing L-lysine and aromatic L-amino acids (García del Vado, M.A. (111) 193)

Stereospecificity
Palladium clay catalyzed regio- and stereospecific synthesis of β,γ-unsaturated acids by the carbonylation of allylic alcohols (Naigre, R. (111) 11)

Substituted phenols
Palladium-catalyzed phenoxycarbonylation of aryl iodides: electronic effect of the substituents on phenol (Satoh, T. (111) 25)

Sulfides
Thioether oxidation by hydrogen peroxide using titanium-containing zeolites as catalysts (Hulea, V. (111) 325)

Sulfoxides
Thioether oxidation by hydrogen peroxide using titanium-containing zeolites as catalysts (Hulea, V. (111) 325)

Supported catalysts
Aerobic oxidation of α-hydroxyketones catalysed by cobalt(II) and iron(III) complexes under homogeneous and heterogeneous conditions (Dell'Anna, M.M. (111) 33)

Hydroformylation of simple olefins catalyzed by metals and clusters supported on unfunctionalized inorganic carriers (Lenarda, M. (111) 203)

Supported reagent
Dialkyl(2,2′-bipyridyl)dioxomolybdenum(VI) complexes: a new family of compounds for the ring-opening metathesis polymerization (ROMP) of norbornene (McCann, M. (111) 251)

Surface reactions
Extraction methods and surface reactions as a convenient methodology for the characterization of surface organometallic species (Roberto, D. (111) 97)

Surface structure
Genesis of cobalt oxide-induced surface structure in $PtCo_x/Al_2O_3$ catalysts (Zsoldos, Z. (111) 113)

Tartaric acid modification
Influence of the starting Ni–Al phases on the enantio-differentiating properties of tartaric acid-modified Raney nickel (Masson, J. (111) 289)

Titanosilicalites
Thioether oxidation by hydrogen peroxide using titanium-containing zeolites as catalysts (Hulea, V. (111) 325)

Toluidine
MFI metallosilicates catalyzed *ortho*- and *para*-toluidine conversion (Bhat, Y.S. (111) 307)

Transfer hydrogenation
Homogeneous catalytic hydrogenation of aldehydes and aldoses in organic solvents and water (Kolarić, S. (111) 239)

TS-1
Microwave heating in the TS-1 catalyzed oxyfunctionalisation of *n*-hexane (Kooyman, P.J. (111) 167)

Unsaturated acids
Palladium clay catalyzed regio- and stereospecific synthesis of β,γ-unsaturated acids by the carbonylation of allylic alcohols (Naigre, R. (111) 11)

Urea
Substituent effects in the cobalt-catalyzed oxidative carbonylation of aromatic amines (Bolzacchini, E. (111) 281)

UV–VIS
Catalytic properties of heteropoly complexes containing Fe(III) ions in benzene oxidation by hydrogen peroxide (Kuznetsova, L.I. (111) 81)

Voltammetry
Catalytic oxidation and photo-oxidation of nitrophenols by strong oxidants generated in situ via CuO-aerogel (Bandara, J. (111) 333)

Water soluble phosphine ligands
Homogeneous catalytic hydrogenation of aldehydes and aldoses in organic solvents and water (Kolarić, S. (111) 239)

XPS
Genesis of cobalt oxide-induced surface structure in $PtCo_x/Al_2O_3$ catalysts (Zsoldos, Z. (111) 113)

Catalytic oxidation and photo-oxidation of nitrophenols by strong oxidants generated in situ via CuO-aerogel (Bandara, J. (111) 333)

Zeolites
Hydroformylation of simple olefins catalyzed by metals and clusters supported on unfunctionalized inorganic carriers (Lenarda, M. (111) 203)

Ziegler–Natta
Binuclear zirconocene cations with $\mu$-$CH_3$-bridges in homogeneous Ziegler–Natta catalyst systems (Beck, S. (111) 67)

Zirconium hydrogen phosphate
Intercalation compounds of α-zirconium hydrogen phosphate with $Rh^{3+}$ ions and $Rh^{3+}$–diamine complexes. Part II. Their behaviour towards CO, $CO_2$ and $H_2$ and their use in the CO catalytic oxidation (Giannoccaro, P. (111) 135)

Zirconocene
Binuclear zirconocene cations with $\mu$-$CH_3$-bridges in homogeneous Ziegler–Natta catalyst systems (Beck, S. (111) 67)